

Q2612A/FX-10 ISO19752 Yield Test Report

Declaration of Yield:

Toner cartridge yield: Average Cartridge Yield 2000 standard pages.
Declared yield value in accordance with ISO/IEC 19752

Average **3105**
 Standard deviation **63**
 90% Lower Confidence **3065**

Date Tested : **2012/03/05-2012/03/10**

For question concerning testing contact: **LTES**

Number of Cartridges used in testing: **9**
 Number of Cartridges used in calculations: **9**
 Type of Cartridge **All-in-one**
 Shake Procedure used? **Yes, at standard page low density appears. The life is over when the printout appears to be fading after the Third shake.**

Print mode: **Continuous(500 pages/job)**
 Number of engines used in testing: **3**
 Media Used: **TIANZHANG copy paper 80g**
 Paper size: **A4**
 Paper feed orientation: **Short edge feed**
 Computer Model: **FUJITSU C601FMV**
 Driver Version: **HP LaserJet 1010**
 Operating System: **Windows XP**
 Application Software: **Adobe Reader 9.1**
 Test Page Version: **Version 2.1**
 Power (off/on) everyday? **Yes**

Cartridge serial numbers(Cartridge type: Q2612A/FX-10)

1#	4#	7#
2#	5#	8#
3#	6#	9#

Engine serial numbers(Engine Type: HP LaserJet 1010)

JM0W3K4
 FL00T9T
 JM0TSDD

Cartridge testing date:

Cartridge	Engine	Temperature			Humidity			Cartridge Yield	Cart used in Calculation
		Avg	Max	Min	Avg	Max	Min		
1#	JM0W3K4	22.8	24.0	21.5	49.8	53.1	46.6	3010	Y
2#		22.9	24.4	21.5	49.6	53.3	46.0	3110	Y
3#		22.2	23.3	21.1	52.2	54.8	49.6	3180	Y
4#	FL00T9T	23.2	24.8	21.5	49.2	53.4	45.0	3025	Y
5#		22.5	23.3	21.6	50.7	53.5	47.9	3085	Y
6#		23.0	24.5	21.5	49.6	54.1	45.2	3066	Y
7#	JM0TSDD	23.5	24.5	22.4	51.9	54.5	49.3	3125	Y
8#		22.5	23.1	21.8	51.8	53.2	50.4	3166	Y
9#		22.3	23.5	21.1	50.2	54.3	46.2	3175	Y

Remark:

- 1) Hav'nt use the modify function of print quality.
- 2) The light printout don't count in the cartridge yield.

For and on behalf of
Prime Success Company Limited



.....
Authorized Signature(s)