

ML-1640/2240 ISO19752 Yield Test Report

Declaration of Yield.

Toner cartridge yield: Average Cartridge Yield 1500 standard pages.
Declared yield value in accordance with ISO/IEC 19752

Average **1607**
 Standard deviation **63**
 90% Lower Confidence **1568**

Date Tested : **2012/05/18-2012/05/22**

For question concerning testing contact: **LTES**

Number of Cartridges used in testing: **9**
 Number of Cartridges used in calculations: **9**
 Type of Cartridge **All-in-one**
 Shake Procedure used? **Yes, at standard page low density appears. The life is over when the printout appears to be fading after the Third shake.**

Print mode: **Continuous(500 pages/job)**
 Number of engines used in testing: **3**
 Media Used: **TIANZHANG copy paper 80g**
 Paper size: **A4**
 Paper feed orientation: **Short edge feed**
 Computer Model: **FUJITSU C601FMV**
 Driver Version: **Samsung ML-1640**
 Operating System: **Windows XP**
 Application Software: **Adobe Reader 9.1**
 Test Page Version: **Version 2.1**
 Power (off/on) everyday? **Yes**

Cartridge serial numbers(Cartridge type: ML-1640)

1#	4#	7#
2#	5#	8#
3#	6#	9#

Engine serial numbers(Engine Type: Samsung ML-1640)

3612BKEY922610D
 3911BKASB00411B
 3513BKCZ300851B


Cartridge testing date:

Cartridge	Engine	Temperature			Humidity			Cartridge Yield	Cart used in Calculation
		Avg	Max	Min	Avg	Max	Min		
1#	3612BKEY922610D	23.0	24.1	21.9	49.7	53.5	45.9	1649	Y
2#		23.1	23.2	23.0	49.7	53.7	45.8	1619	Y
3#		23.0	23.1	22.9	49.5	53.9	45.1	1682	Y
4#	3911BKASB00411B	23.2	24.4	22.0	50.1	54.4	45.8	1555	Y
5#		23.0	24.4	21.5	49.7	53.2	46.3	1502	Y
6#		23.0	24.0	22.0	49.4	53.1	45.6	1671	Y
7#	3513BKCZ300851B	23.3	24.8	21.8	49.8	54.1	45.4	1638	Y
8#		23.0	24.6	21.4	49.2	53.3	45.1	1536	Y
9#		23.4	23.9	22.9	49.9	54.3	45.6	1614	Y

Remark:

- 1) Hav'nt use the modify function of print quality.
- 2) The light printout don't count in the cartridge yield.

For and on behalf of
Prime Success Company Limited



Authorized Signature(s)