

MLT-D117S ISO19752 Yield Test Report

Declaration of Yield:

**Toner cartridge yield: Average Cartridge Yield 2500 standard pages.
Declared yield value in accordance with ISO/IEC 19752**

Average **2562**
Standard deviation **37**
90% Lower Confidence **2539**

Date Tested : 2012/06/1-2012/06/11

For question concerning testing contact: LTES

Number of Cartridges used in testing: 9
Number of Cartridges used in calculations: 9
Type of Cartridge All-in-one
Shake Procedure used? Yes, at standard page low density appears. The life is over when the printout appears to be fading after the Third shake.
Print mode: Continuous(500 pages/job)
Number of engines used in testing: 3
Media Used: TIANZHANG copy paper 80g
Paper size: A4
Paper feed orientation: Short edge feed
Computer Model: FUJITSU C601FMV
Driver Version: Samsung SCX-4650F
Operating System: Windows XP
Application Software: Adobe Reader 9.1
Test Page Version: Version 2.1
Power (off/on) everyday? Yes

Cartridge serial numbers(Cartridge type: MLT-D117S)

1#	4#	7#
2#	5#	8#
3#	6#	9#

Engine serial numbers(Engine Type: Samsung SCX-4650F)

Z3LOBACSE50156A
Z5LRBASDF15095D
Z4LOBACSD50564E

Cartridge testing date:

Cartridge	Engine	Temperature			Humidity			Cartridge Yield	Cart used in Calculation
		Avg	Max	Min	Avg	Max	Min		
1#	Z3LOBACSE50156A	23.2	24.2	22.3	49.6	53.3	45.9	2533	Y
2#		22.9	24.4	21.5	49.7	53.1	46.3	2565	Y
3#		22.5	23.4	21.6	49.5	53.5	45.6	2508	Y
4#	Z5LRBASDF15095D	23.3	24.6	22.0	49.7	53.3	46.2	2596	Y
5#		22.4	23.3	21.6	49.0	53.0	45.1	2517	Y
6#		23.0	23.5	22.6	49.7	53.0	46.4	2583	Y
7#	Z4LOBACSD50564E	23.2	24.2	22.3	49.8	54.2	45.3	2603	Y
8#		22.9	23.2	22.7	50.1	53.8	46.3	2602	Y
9#		23.1	24.0	22.1	49.5	53.5	45.6	2553	Y

Remark:

- 1)Hav'nt use the modify function of print quality.
- 2)The light printout don't count in the cartridge yield.

For and on behalf of
Prime Success Company Limited



.....
Authorized Signature(s)